



#### **K 4 Compact**

Easy to transport and quick to stow away: the K 4 Compact for occasional use on moderate dirt. Includes telescopic handle and water-cooled motor.  $30 \text{ m}^2/\text{h}$  area performance.














- 1 Telescopic handle
- The aluminium telescopic handle can be extended for transport and retracted again for storage.
- 3 Hose storage on front cover
- The hose can be conveniently hung up on the front cover.
- 2 Water-cooled motor and outstanding performance
- The water-cooled motor impresses with its particularly long service life and high power.
- 4 Integrated accessory storage on the device
- Convenient and space-saving accessory storage.

### **TECHNICAL DATA AND EQUIPMENT**





#### K 4 Compact

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
- Integrated suction mechanism for detergents

Technical data		
Order no.		1.637-500.0
EAN code		4054278497150
Pressure	bar / MPa	20-130 /
Flow rate	l/h	420
Max. inlet temperature	°C	max. 40
Connection load	kW	1.8
Weight without accessories	kg	11
Dimensions (L × W × H)	mm	348 × 308 × 520

Equipment		
High-pressure gun		G 180 Q
Vario Power Jet		I
Dirt blaster		I and the second se
High-pressure hose	m	6
Quick Connect on the side of the dev	rice	I and the second se
Water suction		1
Integrated water filter		1
A3/4" garden hose connector adapter		1
Telescopic handle		1
Water-cooled motor		I .

■ Included in the scope of supply.

#### **K 4 COMPACT** 1.637-500.0































						I	_
		Order no.			Price	Description	
Spray lances			<u> </u>				
VP 145 vario power jet Full Con-	1	2.642-725.0				Vario power spray lance for pressure washers in classes K 4	
trol for K 4-K 5						to K 5. Continuously adjustable from low-pressure detergen	t $\blacksquare$
DB 145 dirt blaster Full Control for	2	2.642-728.0				jet to high-pressure jet, simply by turning the spray lance.  Dirt blaster with powerful middle rotary nozzle for Kärcher	-
K 4-K 5	_	2.012 720.0				pressure washers in classes K 4 and K 5. For particularly	
						stubborn dirt like that on mossy or weathered surfaces.	
Telescopic spray lance	3	2.642-347.0				Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet con-	
						nection and integrated, ergonomically adjustable trigger gur	)
						Weight: ca. 2 kg	
Splash guard	4	2.642-706.0				Transparent splash guard for class K 2 to K 7 Kärcher pres-	
						sure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	5	2.638-817.0				Extra-long angled spray lance (about 1 m) for easy cleaning	+
						of difficult to reach areas, e.g. roof gutters or vehicle under-	- 🗆
	_					bodies.	₩
1-step lance extension	6	2.643-240.0				Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	
VP 180 S vario power jet short	7	2.643-254.0				VP 180 S: The vario power jet short 360° with infinitely	+
360° for K 2-K 7						variable pressure regulation and adjustable 360° joint is	
110 115 111		2542222				ideal for cleaning areas that are difficult to reach.	₩
MP 145 multi power jet for K 3-K 5	8	2.643-239.0				Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure	
						fan jet. The suitable jet can be selected by simply twisting.	
Vario Power Jet Short 360° VP	9	2.643-253.0				VP 145 S: The Vario Power Jet Short 360° with infinitely	_
145 S for K 2 - K 4						variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	
Trigger guns						lacer for cleaning areas that are afficient to reach.	
G 180 Q Quick Connect trigger gun	10	2.642-889.0				The new G 180 Q spray gun with Quick Connect is 13 cm	
						longer and is now even more convenient to use and more	
Surface cleaners						ergonomic when cleaning with Kärcher pressure washers.	_
T 7 Plus T-Racer surface cleaner	11	2.644-074.0				Power nozzle for ultimate cleaning power, even in corners	
. 7 1 105 1 Macer Sorrace eleaner		2.6 1 1 67 1.6				and along edges: The T 7 Plus T-Racer surface cleaner with	
						rinse function – for effective and splash-free cleaning of	
T 5 T-Racer surface cleaner	12	2.644-084.0				large areas.  Thorough and splash-free cleaning over large areas: The T 5	-
1 3 1 Nacel Sollace cleaner	12	2.044 004.0				T-Racer surface cleaner. The adjustable nozzle position	
						means the surface cleaner can be used to clean hard and	
DC 20 paular saruhhar surfasa	12	2.644-123.0				delicate surfaces alike.  The PS 30 power scrubber, with its three integrated	+
PS 30 power scrubber surface cleaner	13	2.044-123.0				high-pressure nozzles, powerfully removes stubborn dirt	
						from various surfaces, while saving time. Ideal for stairs and	
						edges. Includes integrated squeegee blade to remove the	
Replacement nozzles accessories	14	2.643-335.0				dirty water.  The high-quality replacement nozzles guarantee easy nozzle	+
for T 350	14	2.0-73 333.0				changing and are suitable for the T-Racer T 300 / T 350	
						surface cleaners for the pressure washer ranges K 2 to K 7.	$\perp$
T-Racer T 250 Surface Cleaner	15	2.642-194.0				T 250 T-Racer for spray-free surface cleaning. With extra	
						handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, class-	
						es K 2 - K 7.	$\perp$
	_						

<sup>■</sup> Included in the scope of supply. 

Available accessories.

## K 4 COMPACT 1.637-500.0





























					 			$\overline{}$
		Order no.			F	Price	Description	
T 450 T-Racer surface cleaner	16	2.643-214.0					Cleans large surfaces without splashing: T-Racer surface	П
							cleaner T 450. Extra power nozzle for corners and edges,	
							handle for vertical cleaning, protection grid for gravel sur-	
							faces, cleaning pressure adjustment.	
PS 40 power scrubber surface	17	2.643-245.0					Power Scrubber PS 40 with 3 integrated high-pressure	
cleaner							nozzles. Eliminates stubborn dirt from various surfaces	
							powerfully, reliably and in a time-saving manner. Ideal for	
							stairs and edges. Includes integrated squeegee blade to	
T 550 T-Racer surface cleaner	18	2.643-251.0					remove the dirty water.  T-Racer surface cleaner T 550 for splash-free cleaning of	
1 330 1-Racel Sulface cleanel	10	2.043-231.0					large surfaces. With detergent application system, power	
							nozzle for corners/edges, protection grid for gravel surfaces	
							pressure adjustment and handle.	
T 350 T-Racer surface cleaner	19	2.643-252.0					With the T-Racer surface cleaner T 350, large surfaces can	
							be cleaned without splashing. Continuous pressure adjust-	
							ment for hard and sensitive surfaces. Handle for vertical	Ш
							cleaning.	
Replacement nozzles accessories	20	2.643-338.0					High-quality replacement nozzles for all T-Racer surface	
							cleaners (except T 350) for unit classes K 2 to K 7, gutter	
							cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.	
Brushes				<u> </u>			2 to K 5.	Н
WB 150 power brush	21	2.643-237.0					WB 150 power brush for splash-free cleaning of sensitive	
WB 130 power brosin	21	2.043 237.0					surfaces. The effective combination of high pressure and	_
							manual brush pressure saves energy, water and up to 30%	
							time.	
WB 120 rotating wash brush	22	2.644-060.0					Rotating wash brush with interchangeable attachment for	
							cleaning all smooth surfaces such as paint, glass or plastic.	П
							Quick and easy attachment changing thanks to the integrat-	
MD 430 setetie sweek house Con 0	22	2.644.420.0					ed release lever.	Н
WB 120 rotating wash brush Car & Bike	23	2.644-129.0					Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment	
DIKE							Car & Bike. Machine washable at 60 °C.	
WB 60 soft surface wash brush	24	2.643-233.0					Soft brush for cleaning large areas, e.g. cars, caravans, boats	П
							conservatories or roller shutters). Working width of 248 mm	1 1
							ensures good coverage.	
Wheel washing brush	25	2.643-234.0					Wheel washing brush for effective cleaning also in difficult	
							to reach areas. Uniform 360° water distribution for a perfect	
							cleaning result.	Ш
Garden hose adapter	26	2.640-732.0					Adapter for garden hose connection – suitable for attaching	
							all Kärcher brushes to garden hoses with the quick-coupling system.	
High-pressure replacement hose: W	ith an	ti-twist system an	d Ouick Connect	system			j system.	Н
H 10 Q Flex PremiumFlex anti		2.643-585.0	a goick connect	Jacon			Innovative PremiumFlex high-pressure hose with anti-twist	
twist	21	2.043 303.0					system for twist-free work. 10 m long. Includes Quick Con-	
· · · ·							nect adaptor. For devices in the K 2 to K 7 ranges. Not	
							suitable for hose reel devices or for Full Control devices in	
							the K 4 to K 7 ranges.	Ш
High-pressure replacement hose: sy	stem '	from 2009 with Q	uick Connect sys	tem				
H 9 Q high-pressure hose Quick	28	2.641-721.0					9 m high-pressure replacement hose for K 2 to K 7 pressure	
Connect							washers manufactured since 2009, on which the hose is	
							attached to the spray gun and device with a Quick Connect	-
							quick coupling. 180 bar, 60°C.	ш

<sup>■</sup> Included in the scope of supply. 

Available accessories.

## K 4 COMPACT 1.637-500.0































							_
		Order no.			Price	Description	
High-Pressure replacement hose ki	it syste	m from 1992					
Extension hose adapter kit	29	2.643-037.0				Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	n 🗆
High-pressure extension hose: Syst	tem for	r devices with Quick Con	nect system		1	System. Not for hose real machines.	
XH 10 Q Quick Connect extension	30	2.641-710.0				High-pressure hose extension for greater flexibility. 10 m	
hose						robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter	
XH 6 Q extension hose Quick Connect	31	2.641-709.0				High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 serie from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	.s 🗆
XH 10 QR extension hose Quick Connect rubber	32	2.641-708.0				High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	K
Pipe cleaning		,	'			<u> </u>	
PC 20 roof gutter and pipe cleaning kit	33	2.642-240.0				The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
PC 15 pipe cleaning kit	34	2.637-767.0				Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	35	2.637-729.0				Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	
Foam jet		,	'	'		The state of the s	
FJ 6 foam jet	36	2.643-147.0				FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner	37	2.643-143.0				Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter gents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	38	2.643-144.0				Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	39	2.643-145.0				Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
Miscellaneous			,				
SH 5 suction hose	40	2.643-100.0				Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	
Sand and wet-blasting kit	41	2.638-792.0				Sand and wet-blasting kit for removing rust, paint and stub born dirt using Kärcher abrasive.	- 0
Vario joint	42	2.640-733.0				Vario joint, rotates 180° for cleaning difficult to reach areas For connection between gun and accessory or extension lance and accessory.	s.
Water filter	43	4.730-059.0				Water filter protects pressure washer pumps against dirt particles from dirty water.	
O-ring set	44	2.640-729.0				Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	d

<sup>■</sup> Included in the scope of supply. 

Available accessories.

# K 4 COMPACT 1.637-500.0





		Order no.			Price	Description	
Organiser	45	2.641-630.0				Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	

 $<sup>\</sup>blacksquare$  Included in the scope of supply.  $\square$  Available accessories.

### **K 4 COMPACT** 1.637-500.0





















		Order no.			Price	Description	
Hose storage and hose trolley							
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0				Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	
Hoses							
Hose set for pressure washers	4	2.645-156.0				Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex* hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	
Water supply hose set	5	2.645-258.0				Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps without thread.	
PrimoFlex* hose 1/2" - 20 m	6	2.645-138.0				The robust PrimoFlex* (1/2") garden hose is a 20 m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	
PrimoFlex* hose 3/4" - 25 m	7	2.645-142.0				PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from –20 to 65 °C.	
Hose connection systems							
Universal hose coupling Plus	8	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal hose coupling Plus with Aqua Stop	9	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal Hose Connector with Aqua Stop	10	2.645-192.0				Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	
Universal Hose Connector	11	2.645-191.0				Universal hose connector in ergonomic design for comfortable handling.	

<sup>■</sup> Included in the scope of supply. 

□ Available accessories.